

# 1 Sample • 5 Minutes • 11 Results



## multi-CLIN™

### • 11 Analyte Drugs of Abuse Point-of-Care Panel

- Amphetamine, Barbiturates, Benzodiazepines, Cocaine, Marijuana, MDMA, Opiates, Oxycodone, Phencyclidine, Propoxyphene & Tricyclic Antidepressants

### • 8 HOUR RESULT STABILITY Negative Results will not turn Positive

### • One Step Test

### • Results Within 5 Minutes

### • Built-in Positive AND Negative Procedural Controls

### • 24-month Shelf Life at Room Temperature

Current Problems with Point-of-Care DOA Testing	THE multi-CLIN™ SOLUTION
<ul style="list-style-type: none"> <li>• Result Instability</li> </ul>	<ul style="list-style-type: none"> <li>• 8 HOUR RESULT STABILITY</li> <li>• Negative results will not turn positive for at least 8 hours- May minimize false positive results</li> </ul>
<ul style="list-style-type: none"> <li>• Complex, multi-step procedures</li> </ul>	<ul style="list-style-type: none"> <li>• One Step testing procedure; add sample and read results within 5 minutes</li> </ul>
<ul style="list-style-type: none"> <li>• QC Limitations</li> </ul>	<ul style="list-style-type: none"> <li>• Built in dual procedural controls</li> </ul>
<ul style="list-style-type: none"> <li>• Lack of up-to-date tests for drugs of abuse</li> </ul>	<ul style="list-style-type: none"> <li>• Complete analyte menu including <u>MDMA</u>, <u>Oxycodone</u> &amp; <u>Propoxyphene</u></li> </ul>
<ul style="list-style-type: none"> <li>• Limited test format options</li> </ul>	<ul style="list-style-type: none"> <li>• Customization capability and flexibility</li> </ul>
<ul style="list-style-type: none"> <li>• Expensive</li> </ul>	<ul style="list-style-type: none"> <li>• MUCH lower cost; more affordable testing systems</li> </ul>

multi-CLIN™

Clinical Point-of-Care Drugs of Abuse Testing